

Attractive & Super Safe
Steel Tubular Fencing

Steel tubular fence is an ornamental fencing with high defense effect to secure site security in commercial, residential and industrial applications.

It is available for hot dipped galvanised or colorful powder coating for outdoors.

There are a variety of styles and sizes for your high aesthetic & security requirements.



FEATURES & BENEFITS

Solid Welded Structure

360° full welding technology ensures firm structure to prevent being damaged. Skillful welding keeps small welding point.



Strong Anti-Corrosion Surface

Hot dipped galvanized or powder coating surface guarantees more than 25 years life, even in the harshest environments.



Imposing but Generous Appearance

Straight top, wave top, staggered top, or decorative rings added in the vertical picket gap satisfy all your requirements.



Excellent Terrain Adaptability

Custom design and manufacture can make steel fence adapt for any terrains, including uneven or stepped install conditions.



TECHNICAL DETAILS

Flat-top Steel Fence

Dimensions (H x W): 6' x 8', 10' x 8', 7' x 8', 8' x 8' optional.

Residential use dimensions (H x W): 3' x 8', 3.5' x 8', 4' x 8', 4.5' x 8', 5' x 8' optional.


Horizontal rail O.D.: 1.26" x 1.26", 1.58" x 1.58", 1.78" x 1.78", 2" x 2" optional.

Horizontal rail wall thickness: 0.05"–0.08".


Vertical picket O.D.: 0.63" x 0.63", 0.75" x 0.75", 1" x 1".

Vertical picket wall thickness: 0.05"–0.08".

Gap: 4.15", 4.33", 4.53", 4.57", 4.9", 5.12" optional.



TECHNICAL DETAILS



Spear-top Steel Fence

Dimensions (H x W): 6' x 8', 10' x 8', 7' x 8', 8' x 8' optional.

Residential use dimensions (H x W): 3' x 8', 3.5' x 8', 4' x 8', 4.5' x 8', 5' x 8' optional.


Horizontal rail O.D.: 1.26" x 1.26", 1.58" x 1.58", 1.78" x 1.78", 2" x 2" optional.

Horizontal rail wall thickness: 0.05"–0.08".

Vertical picket O.D.: 0.63" x 0.63", 0.75" x 0.75", 1" x 1".

Vertical picket wall thickness: 0.05"–0.08".

Gap: 4.15", 4.33", 4.53", 4.57", 4.9", 5.12" optional.



Rod-top Steel Fence

Dimensions (H x W): 6' x 8', 10' x 8', 7' x 8', 8' x 8' optional.

Residential use dimensions (H x W): 3' x 8', 3.5' x 8', 4' x 8', 4.5' x 8', 5' x 8' optional.


Horizontal rail O.D.: 1.26" x 1.26", 1.58" x 1.58", 1.78" x 1.78", 2" x 2" optional.

Horizontal rail wall thickness: 0.05"–0.08".

Vertical picket O.D.: 0.63" x 0.63", 0.75" x 0.75", 1" x 1".

Vertical picket wall thickness: 0.05"–0.08".

Gap: 4.15", 4.33", 4.53", 4.57", 4.9", 5.12" optional.



Curved-top Steel Fence

Dimensions (H x W): 6' x 8', 10' x 8', 7' x 8', 8' x 8' optional.

Residential use dimensions (H x W): 3' x 8', 3.5' x 8', 4' x 8', 4.5' x 8', 5' x 8' optional.

Horizontal rail O.D.: 1.26" x 1.26", 1.58" x 1.58", 1.78" x 1.78", 2" x 2" optional.


Horizontal rail wall thickness: 0.05"–0.08".

Vertical picket O.D.: 0.63" x 0.63", 0.75" x 0.75", 1" x 1".


Vertical picket wall thickness: 0.05"–0.08".

Gap: 4.15", 4.33", 4.53", 4.57", 4.9", 5.12" optional.


DIFFERENT SIZES AND STYLES ARE AVAILABLE




2-rail flat top




4-rail flat top




4-rail flat top with decorative rings




2-rail spear top




4-rail spear top




4-rail spear top with decorative rings




2-rail straight rod top




4-rail straight rod top




4-rail straight rod with decorative rings



2-rail curved top



4-rail curved rod top



4-rail curved rod with decorative rings

ACCESSORIES



Fence Post

Post dimensions (O.D. × TH):

- 2.36" × 2.36" × 0.08"
- 2.56" × 2.56" × 0.08"
- 3.15" × 23.15" × 0.08"
- 4" × 4" × 0.12" optional.

Post height: 8.9', 10' optional.

Finish:

Full hot dipped galvanized.
Pre-galvanized and powder coating.
Color: Silver, gray, black, etc.

Accessory List:

- 1 post cap
- 4 set brackets
- 12 sets self drilling screw.

