

Corrosion Resistant

Corral Panels

Corral panels, also called horse panels, cattle panels, are made from low carbon steel or galvanized steel pipes. The horizontal rails and frames are fully welded together to form a horse panel. They are divided into round, square and oval rail horse panels according to rail shape. They are widely used to raise horses, cattle and other livestock or prevent them from being injured in stable, farmland, pasture, ranchette, arenas, etc.



FEATURES & BENEFITS

Safe

Smooth surface without burrs won't make livestock get injured.



Sturdy

Pipes are completely welded together for optimum structure.



Anti-Corrosion

The post of horse panels is equipped with rain cap to resist rain erosion.



Corrosion Resistant

Panel surface is hot-dipped galvanized or PVC coating for anti-corrosion.



Attractive

There are round, square and oval rails panels which can be various colors.



Strict Quality Control

All the horse panels sizes are monitored at any time before packaging.



FEATURES & BENEFITS




5-Rail Oval Corral Panels

Height × Length: 1.6 × 2.1 m (5 rails).

Frame: 40 × 40 × 1.6 / 2.0 mm;
50 × 50 × 1.6 / 2.0 mm.

Rails: 40 × 40 × 1.6 / 2.0 mm;
50 × 50 × 1.6 / 2.0 mm.

Finish: hot-dipped galvanized and PVC coating.




6-Rail Oval Corral Panels

Height × Length: 1.8 × 2.1 m (6 rails); 1.8 × 3.37 m (6 rails).

Frame: 40 × 40 × 1.6 / 2.0 mm;
50 × 50 × 1.6 / 2.0 mm.

Rails: 40 × 40 × 1.6 / 2.0 mm;
50 × 50 × 1.6 / 2.0 mm.

Finish: hot-dipped galvanized and PVC coating.




5-Rail Square Corral Panels

Height × Length: 1.8 × 2.1 m (6 rails); 1.8 × 3.37 m (6 rails).

Frame: square post: 40 × 40 × 1.6 / 2.0 mm;
50 × 50 × 1.6 / 2.0 mm.

Rails: oval pipes: 30 × 60 × 1.6 / 2.0 mm;
40 × 80 × 1.6 / 2.0 mm.

Finish: hot-dipped galvanized and PVC coating.



6-Rail Square Corral Panels

Height × Length: 1.6 × 2.1 m (5 rails).

Frame: square post: 40 × 40 × 1.6 / 2.0 mm;
50 × 50 × 1.6 / 2.0 mm.

Rails: oval pipes: 30 × 60 × 1.6 / 2.0 mm;
40 × 80 × 1.6 / 2.0 mm.

Finish: hot-dipped galvanized and PVC coating.

FEATURES & BENEFITS



Man Gate in Panel

Height × Length: 2.1 m H × 2.25 m L.

Frame : 40 × 40 mm , 50 × 50 mm.


Rails: Square: 40 × 40 mm.

Oval: 30 × 60 mm, 40 × 80 mm.

Rail quantity : 5/6.

Finish: hot-dipped galvanized or PVC coating.

Welded caps, brackets, Supplied with two HDG Pins.



Double Gate

Height × Length: 2.3 m H × 4.2 m L.

Frame : 40 × 40 mm , 50 × 50 mm.

Rails: Square: 40 × 40 mm.

Oval: 30 × 60 mm, 40 × 80 mm.

Rail quantity : 5/6

Finish: hot-dipped galvanized or PVC coating.

Welded caps, brackets, Supplied with two HDG Pins.


PANEL GATES & ACCESSORIES



Panel Gate



Pin Latch



Chain

APPLICATION

